

Creation Date 26-Oct-2009

Revision Date 13-Mar-2026

Revision Number 23

## SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

### 1.1. Product identifier

|                           |                                                              |
|---------------------------|--------------------------------------------------------------|
| Product Description:      | <b>n-Hexane</b>                                              |
| Cat No. :                 | <b>160780000; 160780010; 160780025; 160780250; 160780251</b> |
| Synonyms                  | Hex                                                          |
| Index No                  | 601-037-00-0                                                 |
| CAS No                    | 110-54-3                                                     |
| EC No                     | 203-777-6                                                    |
| Molecular Formula         | C6 H14                                                       |
| REACH registration number | 01-2119480412-44                                             |

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

|                                |                                                                                             |
|--------------------------------|---------------------------------------------------------------------------------------------|
| Recommended Use                | Laboratory chemicals                                                                        |
| Sector of use                  | SU3 - Industrial uses: Uses of substances as such or in preparations at industrial sites    |
| Product category               | PC21 - Laboratory chemicals                                                                 |
| Process categories             | PROC15 - Use as a laboratory reagent                                                        |
| Environmental release category | ERC6a - Industrial use resulting in manufacture of another substance (use of intermediates) |
| Uses advised against           | No Information available                                                                    |

### 1.3. Details of the supplier of the safety data sheet

#### Company

**UK entity/business name**  
Fisher Scientific UK  
Bishop Meadow Road,  
Loughborough, Leicestershire LE11 5RG, United Kingdom

**EU entity/business name**  
Thermo Fisher Scientific  
Janssen Pharmaceuticaaan 3a, 2440 Geel, Belgium

E-mail address begel.sdsdesk@thermofisher.com

### 1.4. Emergency telephone number

For information **US** call: 001-800-227-6701 / **Europe** call: +32 14 57 52 11  
Emergency Number **US**:001-201-796-7100 / **Europe**: +32 14 57 52 99  
**CHEMTREC** Tel. No. **US**:001-800-424-9300 / **Europe**:001-703-527-3887

## SECTION 2: HAZARDS IDENTIFICATION

### 2.1. Classification of the substance or mixture

GHS Classification - According to GB-CLP Regulations UK SI 2019/720 and UK SI 2020/1567

Physical hazards

# SAFETY DATA SHEET

n-Hexane

Revision Date 13-Mar-2026

|                                                      |                    |
|------------------------------------------------------|--------------------|
| Flammable liquids                                    | Category 2 (H225)  |
| <b><u>Health hazards</u></b>                         |                    |
| Aspiration Toxicity                                  | Category 1 (H304)  |
| Skin Corrosion/Irritation                            | Category 2 (H315)  |
| Reproductive Toxicity                                | Category 2 (H361f) |
| Specific target organ toxicity - (single exposure)   | Category 3 (H336)  |
| Specific target organ toxicity - (repeated exposure) | Category 1 (H372)  |
| <b><u>Environmental hazards</u></b>                  |                    |
| Chronic aquatic toxicity                             | Category 2 (H411)  |

Full text of Hazard Statements: see section 16

## 2.2. Label elements



Signal Word

Danger

### Hazard Statements

- H225 - Highly flammable liquid and vapor
- H304 - May be fatal if swallowed and enters airways
- H315 - Causes skin irritation
- H336 - May cause drowsiness or dizziness
- H361f - Suspected of damaging fertility
- H411 - Toxic to aquatic life with long lasting effects
- H372 - Causes damage to organs through prolonged or repeated exposure

### Precautionary Statements

- P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking
- P280 - Wear protective gloves/protective clothing/eye protection/face protection
- P301 + P310 - IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician
- P331 - Do NOT induce vomiting
- P303 + P361 + P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower
- P304 + P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing

## 2.3. Other hazards

Substance is not considered persistent, bioaccumulative and toxic (PBT) / very persistent and very bioaccumulative (vPvB)

This product does not contain any known or suspected endocrine disruptors  
Toxic to terrestrial vertebrates

## SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

# SAFETY DATA SHEET

n-Hexane

Revision Date 13-Mar-2026

## 3.1. Substances

| Component | CAS No   | EC No             | Weight % | GHS Classification - According to GB-CLP Regulations UK SI 2019/720 and UK SI 2020/1567                                                                  |
|-----------|----------|-------------------|----------|----------------------------------------------------------------------------------------------------------------------------------------------------------|
| Hexane    | 110-54-3 | EEC No. 203-777-6 | <=100    | Flam. Liq. 2 (H225)<br>Asp. Tox. 1 (H304)<br>Skin Irrit. 2 (H315)<br>STOT SE 3 (H336)<br>Repr. 2 (H361f)<br>STOT RE 1 (H372)<br>Aquatic Chronic 2 (H411) |

|                           |                  |
|---------------------------|------------------|
| REACH registration number | 01-2119480412-44 |
|---------------------------|------------------|

Full text of Hazard Statements: see section 16

## SECTION 4: FIRST AID MEASURES

### 4.1. Description of first aid measures

|                                           |                                                                                                                                                                                                     |
|-------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>General Advice</b>                     | If symptoms persist, call a physician.                                                                                                                                                              |
| <b>Eye Contact</b>                        | Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get medical attention.                                                                                     |
| <b>Skin Contact</b>                       | Wash off immediately with plenty of water for at least 15 minutes. If skin irritation persists, call a physician.                                                                                   |
| <b>Ingestion</b>                          | Clean mouth with water and drink afterwards plenty of water. Do NOT induce vomiting. Call a physician or poison control center immediately. If vomiting occurs naturally, have victim lean forward. |
| <b>Inhalation</b>                         | Remove to fresh air. If not breathing, give artificial respiration. Get medical attention if symptoms occur. Risk of serious damage to the lungs (by aspiration).                                   |
| <b>Self-Protection of the First Aider</b> | Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination.                                                    |

### 4.2. Most important symptoms and effects, both acute and delayed

Difficulty in breathing. Inhalation of high vapor concentrations may cause symptoms like headache, dizziness, tiredness, nausea and vomiting

### 4.3. Indication of any immediate medical attention and special treatment needed

|                    |                                                 |
|--------------------|-------------------------------------------------|
| Notes to Physician | Treat symptomatically. Symptoms may be delayed. |
|--------------------|-------------------------------------------------|

## SECTION 5: FIREFIGHTING MEASURES

### 5.1. Extinguishing media

#### Suitable Extinguishing Media

CO<sub>2</sub>, dry chemical, dry sand, alcohol-resistant foam. Water mist may be used to cool closed containers.

# SAFETY DATA SHEET

n-Hexane

Revision Date 13-Mar-2026

## Extinguishing media which must not be used for safety reasons

Do not use a solid water stream as it may scatter and spread fire.

## 5.2. Special hazards arising from the substance or mixture

Flammable. Risk of ignition. Vapors may form explosive mixtures with air. Vapors may travel to source of ignition and flash back. Containers may explode when heated.

## Hazardous Combustion Products

Carbon monoxide (CO), Carbon dioxide (CO<sub>2</sub>).

## 5.3. Advice for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

## SECTION 6: ACCIDENTAL RELEASE MEASURES

### 6.1. Personal precautions, protective equipment and emergency procedures

Use personal protective equipment as required. Ensure adequate ventilation. Remove all sources of ignition. Take precautionary measures against static discharges.

### 6.2. Environmental precautions

Do not flush into surface water or sanitary sewer system.

### 6.3. Methods and material for containment and cleaning up

Soak up with inert absorbent material. Keep in suitable, closed containers for disposal. Remove all sources of ignition. Use spark-proof tools and explosion-proof equipment.

### 6.4. Reference to other sections

Refer to protective measures listed in Sections 8 and 13.

## SECTION 7: HANDLING AND STORAGE

### 7.1. Precautions for safe handling

Wear personal protective equipment/face protection. Do not get in eyes, on skin, or on clothing. Ensure adequate ventilation. Avoid ingestion and inhalation. Keep away from open flames, hot surfaces and sources of ignition. Use only non-sparking tools. To avoid ignition of vapors by static electricity discharge, all metal parts of the equipment must be grounded. Take precautionary measures against static discharges.

## Hygiene Measures

Handle in accordance with good industrial hygiene and safety practice. Keep away from food, drink and animal feeding stuffs. Do not eat, drink or smoke when using this product. Remove and wash contaminated clothing and gloves, including the inside, before re-use. Wash hands before breaks and after work.

### 7.2. Conditions for safe storage, including any incompatibilities

Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from heat, sparks and flame. Flammables area.

Technical Rules for Hazardous Substances (TRGS) 510  
Storage Class (LGK) (Germany)

Class 3

# SAFETY DATA SHEET

n-Hexane

Revision Date 13-Mar-2026

## 7.3. Specific end use(s)

Use in laboratories

## SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

### 8.1. Control parameters

#### Exposure limits

List source(s): **EU** - Commission Directive (EU) 2019/1831 of 24 October 2019 establishing a fifth list of indicative occupational exposure limit values pursuant to Council Directive 98/24/EC and amending Commission Directive 2000/39/EC **UK** - EH40/2005 Work Exposure Limits, Fourth edition. Published 2020. **IRE** - 2021 Code of Practice for the Chemical Agents Regulations, Schedule 1. Published by the Health and Safety Authority

| Component | The United Kingdom                                                                      | European Union                                       | Ireland                                                                                                                   |
|-----------|-----------------------------------------------------------------------------------------|------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------|
| Hexane    | TWA: 72 mg/m <sup>3</sup><br>TWA: 20 ppm<br>STEL: 60 ppm<br>STEL: 216 mg/m <sup>3</sup> | TWA: 20 ppm (8hr)<br>TWA: 72 mg/m <sup>3</sup> (8hr) | TWA: 20 ppm 8 hr.<br>TWA: 72 mg/m <sup>3</sup> 8 hr.<br>STEL: 60 ppm 15 min<br>STEL: 216 mg/m <sup>3</sup> 15 min<br>Skin |

#### Biological limit values

List source(s):

#### Derived No Effect Level (DNEL) / Derived Minimum Effect Level (DMEL)

See table for values

| Component                   | Acute effects local (Dermal) | Acute effects systemic (Dermal) | Chronic effects local (Dermal) | Chronic effects systemic (Dermal) |
|-----------------------------|------------------------------|---------------------------------|--------------------------------|-----------------------------------|
| Hexane<br>110-54-3 ( ≤100 ) |                              |                                 |                                | DNEL = 11mg/kg<br>bw/day          |

| Component                   | Acute effects local (Inhalation) | Acute effects systemic (Inhalation) | Chronic effects local (Inhalation) | Chronic effects systemic (Inhalation) |
|-----------------------------|----------------------------------|-------------------------------------|------------------------------------|---------------------------------------|
| Hexane<br>110-54-3 ( ≤100 ) |                                  |                                     |                                    | DNEL = 75mg/m <sup>3</sup>            |

#### Predicted No Effect Concentration (PNEC)

No information available.

### 8.2. Exposure controls

#### Engineering Measures

Ensure adequate ventilation, especially in confined areas. Ensure that eyewash stations and safety showers are close to the workstation location. Use explosion-proof electrical/ventilating/lighting equipment.

Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control hazardous materials at source

#### Personal protective equipment

##### Eye Protection

Wear safety glasses with side shields (or goggles) (European standard - EN 166)

# SAFETY DATA SHEET

n-Hexane

Revision Date 13-Mar-2026

## Hand Protection

Protective gloves

| Glove material  | Breakthrough time | Glove thickness | EU standard | Glove comments                           |
|-----------------|-------------------|-----------------|-------------|------------------------------------------|
| Nitrile rubber  | > 480 minutes     | 0.38 - 0.56 mm  | Level 6     | As tested under EN374-3 Determination of |
| Viton (R)       | > 480 minutes     | 0.7 mm          | EN 374      | Resistance to Permeation by Chemicals    |
| Neoprene gloves | < 180 minutes     | 0.45 mm         |             |                                          |

## Skin and body protection

Wear appropriate protective gloves and clothing to prevent skin exposure.

Inspect gloves before use.

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves.

(Refer to manufacturer/supplier for information)

Ensure gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion.

Remove gloves with care avoiding skin contamination.

## Respiratory Protection

When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.

To protect the wearer, respiratory protective equipment must be the correct fit and be used and maintained properly

## Large scale/emergency use

Use a NIOSH/MSHA or European Standard EN 136 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced

**Recommended Filter type:** Organic gases and vapours filter Type A Brown conforming to EN14387

## Small scale/Laboratory use

Use a NIOSH/MSHA or European Standard EN 149:2001 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.

**Recommended half mask:-** Valve filtering: EN405; or; Half mask: EN140; plus filter, EN 141

When RPE is used a face piece Fit Test should be conducted

## Environmental exposure controls

Prevent product from entering drains. Do not allow material to contaminate ground water system.

## SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

### 9.1. Information on basic physical and chemical properties

|                                         |                                                |                                          |
|-----------------------------------------|------------------------------------------------|------------------------------------------|
| Physical State                          | Liquid                                         |                                          |
| Appearance                              | Colorless                                      |                                          |
| Odor                                    | Petroleum distillates                          |                                          |
| Odor Threshold                          | No data available                              |                                          |
| Melting Point/Range                     | -95 °C / -139 °F                               |                                          |
| Softening Point                         | No data available                              |                                          |
| Boiling Point/Range                     | 69 °C / 156.2 °F                               | @ 760 mmHg                               |
| Flammability (liquid)                   | Highly flammable                               | On basis of test data                    |
| Flammability (solid,gas)                | Not applicable                                 | Liquid                                   |
| Explosion Limits                        | <b>Lower</b> 1.1 vol%<br><b>Upper</b> 7.5 vol% |                                          |
| Flash Point                             | -22 °C / -7.6 °F                               | <b>Method -</b> No information available |
| Autoignition Temperature                | 223 °C / 433.4 °F                              |                                          |
| Decomposition Temperature               | No data available                              |                                          |
| pH                                      | Not applicable                                 |                                          |
| Viscosity                               | 0.31 mPa s at 20 °C                            |                                          |
| Water Solubility                        | Immiscible                                     |                                          |
| Solubility in other solvents            | No information available                       |                                          |
| Partition Coefficient (n-octanol/water) |                                                |                                          |

# SAFETY DATA SHEET

n-Hexane

Revision Date 13-Mar-2026

|                                   |                         |             |
|-----------------------------------|-------------------------|-------------|
| <b>Component</b>                  | <b>log Pow</b>          |             |
| Hexane                            | 4.11                    |             |
| <b>Vapor Pressure</b>             | 160 mbar @ 20 °C        |             |
| <b>Density / Specific Gravity</b> | 0.659                   |             |
| <b>Bulk Density</b>               | Not applicable          | Liquid      |
| <b>Vapor Density</b>              | 2.97                    | (Air = 1.0) |
| <b>Particle characteristics</b>   | Not applicable (liquid) |             |

## 9.2. Other information

|                             |                                                           |
|-----------------------------|-----------------------------------------------------------|
| <b>Molecular Formula</b>    | C6 H14                                                    |
| <b>Molecular Weight</b>     | 86.18                                                     |
| <b>Explosive Properties</b> | Not explosive Vapors may form explosive mixtures with air |

## SECTION 10: STABILITY AND REACTIVITY

### 10.1. Reactivity

None known, based on information available

### 10.2. Chemical stability

Stable under normal conditions.

### 10.3. Possibility of hazardous reactions

|                                 |                               |
|---------------------------------|-------------------------------|
| <b>Hazardous Polymerization</b> | No information available.     |
| <b>Hazardous Reactions</b>      | None under normal processing. |

### 10.4. Conditions to avoid

Incompatible products. Heat, flames and sparks. Exposure to light. Keep away from open flames, hot surfaces and sources of ignition.

### 10.5. Incompatible materials

Strong oxidizing agents. Halogens.

### 10.6. Hazardous decomposition products

Carbon monoxide (CO). Carbon dioxide (CO<sub>2</sub>).

## SECTION 11: TOXICOLOGICAL INFORMATION

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### Product Information

#### (a) acute toxicity;

|                   |                                                                  |
|-------------------|------------------------------------------------------------------|
| <b>Oral</b>       | Based on available data, the classification criteria are not met |
| <b>Dermal</b>     | Based on available data, the classification criteria are not met |
| <b>Inhalation</b> | Based on available data, the classification criteria are not met |

| Component | LD50 Oral              | LD50 Dermal                  | LC50 Inhalation              |
|-----------|------------------------|------------------------------|------------------------------|
| Hexane    | LD50 = 25 g/kg ( Rat ) | LD50 = 3000 mg/kg ( Rabbit ) | LC50 = 48000 ppm ( Rat ) 4 h |

(b) skin corrosion/irritation; Category 2

# SAFETY DATA SHEET

n-Hexane

Revision Date 13-Mar-2026

|                                                                                               |                                                                                                                                                                                                                         |
|-----------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| (c) serious eye damage/irritation;                                                            | Based on available data, the classification criteria are not met                                                                                                                                                        |
| (d) respiratory or skin sensitization;<br>Respiratory<br>Skin                                 | Based on available data, the classification criteria are not met<br>Based on available data, the classification criteria are not met                                                                                    |
| (e) germ cell mutagenicity;                                                                   | Based on available data, the classification criteria are not met<br>Mutagenic effects have occurred in experimental animals                                                                                             |
| (f) carcinogenicity;                                                                          | Based on available data, the classification criteria are not met<br>There are no known carcinogenic chemicals in this product.                                                                                          |
| (g) reproductive toxicity;<br>Reproductive Effects<br>Developmental Effects<br>Teratogenicity | Category 2<br>Experiments have shown reproductive toxicity effects on laboratory animals.<br>Developmental effects have occurred in experimental animals.<br>Teratogenic effects have occurred in experimental animals. |
| (h) STOT-single exposure;<br>Results / Target organs                                          | Category 3<br>Central nervous system (CNS).                                                                                                                                                                             |
| (i) STOT-repeated exposure;<br>Target Organs                                                  | Category 1<br>Central nervous system (CNS), Peripheral Nervous System (PNS), Respiratory system, Eyes, Heart, Blood, Liver, Reproductive System.                                                                        |
| (j) aspiration hazard;<br>Other Adverse Effects                                               | Category 1<br>Tumorigenic effects have been reported in experimental animals.                                                                                                                                           |
| Symptoms / effects, both acute and delayed                                                    | Inhalation of high vapor concentrations may cause symptoms like headache, dizziness, tiredness, nausea and vomiting.                                                                                                    |

## 11.2. Information on other hazards

|                                 |                                                                                                                                     |
|---------------------------------|-------------------------------------------------------------------------------------------------------------------------------------|
| Endocrine Disrupting Properties | Assess endocrine disrupting properties for human health. This product does not contain any known or suspected endocrine disruptors. |
|---------------------------------|-------------------------------------------------------------------------------------------------------------------------------------|

## SECTION 12: ECOLOGICAL INFORMATION

### 12.1. Toxicity

#### Ecotoxicity effects

Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment. The product contains following substances which are hazardous for the environment.

| Component | Freshwater Fish                                               | Water Flea          | Freshwater Algae |
|-----------|---------------------------------------------------------------|---------------------|------------------|
| Hexane    | LC50: 2.1 - 2.98 mg/L, 96h flow-through (Pimephales promelas) | EC50: 3.87 mg/L/48h |                  |

# SAFETY DATA SHEET

n-Hexane

Revision Date 13-Mar-2026

## 12.2. Persistence and degradability

**Persistence** Persistence is unlikely, based on information available.  
**Degradation in sewage treatment plant** Contains substances known to be hazardous to the environment or not degradable in waste water treatment plants.

## 12.3. Bioaccumulative potential

Bioaccumulation is unlikely

| Component | log Pow | Bioconcentration factor (BCF) |
|-----------|---------|-------------------------------|
| Hexane    | 4.11    | No data available             |

## 12.4. Mobility in soil

The product contains volatile organic compounds (VOC) which will evaporate easily from all surfaces. Will likely be mobile in the environment due to its volatility. Disperses rapidly in air.

## 12.5. Results of PBT and vPvB assessment

Substance is not considered persistent, bioaccumulative and toxic (PBT) / very persistent and very bioaccumulative (vPvB).

## 12.6. Endocrine disrupting properties

**Endocrine Disruptor Information** This product does not contain any known or suspected endocrine disruptors

## 12.7. Other adverse effects **Persistent Organic Pollutant** **Ozone Depletion Potential**

This product does not contain any known or suspected substance  
This product does not contain any known or suspected substance

## SECTION 13: DISPOSAL CONSIDERATIONS

### 13.1. Waste treatment methods

**Waste from Residues/Unused Products** Waste is classified as hazardous. Dispose of in accordance with the European Directives on waste and hazardous waste. Dispose of in accordance with local regulations.

**Contaminated Packaging** Dispose of this container to hazardous or special waste collection point. Empty containers retain product residue, (liquid and/or vapor), and can be dangerous. Keep product and empty container away from heat and sources of ignition.

**European Waste Catalogue (EWC)** According to the European Waste Catalog, Waste Codes are not product specific, but application specific.

**Other Information** Do not flush to sewer. Waste codes should be assigned by the user based on the application for which the product was used. Can be landfilled or incinerated, when in compliance with local regulations. Do not let this chemical enter the environment. Do not empty into drains.

## SECTION 14: TRANSPORT INFORMATION

### IMDG/IMO

**14.1. UN number** UN1208  
**14.2. UN proper shipping name** Hexanes  
**14.3. Transport hazard class(es)** 3  
**14.4. Packing group** II

# SAFETY DATA SHEET

n-Hexane

Revision Date 13-Mar-2026

## ADR

**14.1. UN number** UN1208  
**14.2. UN proper shipping name** Hexanes  
**14.3. Transport hazard class(es)** 3  
**14.4. Packing group** II

## IATA

**14.1. UN number** UN1208  
**14.2. UN proper shipping name** Hexanes  
**14.3. Transport hazard class(es)** 3  
**14.4. Packing group** II

**14.5. Environmental hazards** Dangerous for the environment  
Product is a marine pollutant according to the criteria set by IMDG/IMO

**14.6. Special precautions for user** No special precautions required.

**14.7. Maritime transport in bulk according to IMO instruments** Not applicable, packaged goods

## SECTION 15: REGULATORY INFORMATION

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### International Inventories

Europe (EINECS/ELINCS/NLP), China (IECSC), Taiwan (TCSI), Korea (KECL), Japan (ENCS), Japan (ISHL), Canada (DSL/NDSL), Australia (AICS), New Zealand (NZIoC), Philippines (PICCS). US EPA (TSCA) - Toxic Substances Control Act, (40 CFR Part 710)

| Component | CAS No   | EINECS    | ELINCS    | NLP | IECSC | TCSI | KECL     | ENCS | ISHL |
|-----------|----------|-----------|-----------|-----|-------|------|----------|------|------|
| Hexane    | 110-54-3 | 203-777-6 | 438-390-3 | -   | X     | X    | KE-18626 | X    | X    |

| Component | CAS No   | TSCA | TSCA Inventory notification - Active-Inactive | DSL | NDSL | AICS | NZIoC | PICCS |
|-----------|----------|------|-----------------------------------------------|-----|------|------|-------|-------|
| Hexane    | 110-54-3 | X    | ACTIVE                                        | X   | -    | X    | X     | X     |

Legend: X - Listed '-' - Not Listed

KECL - NIER number or KE number (<http://ncis.nier.go.kr/en/main.do>)

### Authorisation/Restrictions according to EU REACH

| Component | CAS No   | REACH (1907/2006) - Annex XIV - Substances Subject to Authorization | REACH (1907/2006) - Annex XVII - Restrictions on Certain Dangerous Substances | REACH Regulation (EC 1907/2006) article 59 - Candidate List of Substances of Very High Concern (SVHC)                    |
|-----------|----------|---------------------------------------------------------------------|-------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------|
| Hexane    | 110-54-3 | -                                                                   | Use restricted. See entry 75. (see link for restriction details)              | SVHC candidate list - EC 203-777-6 - Specific target organ toxicity after repeated exposure Article 57(f) - human health |

#### REACH links

<https://echa.europa.eu/substances-restricted-under-reach>

<https://echa.europa.eu/candidate-list-table>

#### Seveso III Directive (2012/18/EC)

# SAFETY DATA SHEET

n-Hexane

Revision Date 13-Mar-2026

| Component | CAS No   | Seveso III Directive (2012/18/EC) - Qualifying Quantities for Major Accident Notification | Seveso III Directive (2012/18/EC) - Qualifying Quantities for Safety Report Requirements |
|-----------|----------|-------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------|
| Hexane    | 110-54-3 | Not applicable                                                                            | Not applicable                                                                           |

Safety, health and environmental regulations/legislation specific for the substance or mixture

| Component | CAS No   | OECD HPV | Restriction of Hazardous Substances (RoHS) | Basel Convention (Hazardous Waste) |
|-----------|----------|----------|--------------------------------------------|------------------------------------|
| Hexane    | 110-54-3 | Listed   | Not applicable                             | Annex I - Y42                      |

Regulation (EC) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of dangerous chemicals

Not applicable

Contains component(s) that meet a 'definition' of per & poly fluoroalkyl substance (PFAS)?

Not applicable

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work .

Take note of Directive 2000/39/EC establishing a first list of indicative occupational exposure limit values

Take note of Directive 94/33/EC on the protection of young people at work

Take note of Dir 92/85/EC on the protection of pregnant and breastfeeding women at work

## National Regulations

UK - Take note of Control of Substances Hazardous to Health Regulations (COSHH) 2002 and 2005 Amendment

## WGK Classification

See table for values

| Component | Germany - Water Classification (AwSV) | Germany - TA-Luft Class |
|-----------|---------------------------------------|-------------------------|
| Hexane    | WGK3                                  |                         |

| Component | France - INRS (Tables of occupational diseases)            |
|-----------|------------------------------------------------------------|
| Hexane    | Tableaux des maladies professionnelles (TMP) - RG 59,RG 84 |

| Component                    | Switzerland - Ordinance on the Reduction of Risk from handling of hazardous substances preparation (SR 814.81) | Switzerland - Ordinance on Incentive Taxes on Volatile Organic Compounds (OVOC) | Switzerland - Ordinance of the Rotterdam Convention on the Prior Informed Consent Procedure |
|------------------------------|----------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------|
| Hexane<br>110-54-3 ( <=100 ) | Prohibited and Restricted Substances                                                                           | Group I                                                                         |                                                                                             |

## 15.2. Chemical safety assessment

A Chemical Safety Assessment/Report (CSA/CSR) has been conducted by the manufacturer/importer

## SECTION 16: OTHER INFORMATION

### Full text of H-Statements referred to under sections 2 and 3

H304 - May be fatal if swallowed and enters airways

H315 - Causes skin irritation

H336 - May cause drowsiness or dizziness

# SAFETY DATA SHEET

n-Hexane

Revision Date 13-Mar-2026

H361f - Suspected of damaging fertility  
H411 - Toxic to aquatic life with long lasting effects  
H225 - Highly flammable liquid and vapor  
H372 - Causes damage to organs through prolonged or repeated exposure

## Legend

**CAS** - Chemical Abstracts Service

**EINECS/ELINCS** - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

**PICCS** - Philippines Inventory of Chemicals and Chemical Substances

**IECSC** - Chinese Inventory of Existing Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

**TSCA** - United States Toxic Substances Control Act Section 8(b) Inventory

**DSL/NDL** - Canadian Domestic Substances List/Non-Domestic Substances List

**ENCS** - Japanese Existing and New Chemical Substances

**AICS** - Australian Inventory of Chemical Substances

**NZIoC** - New Zealand Inventory of Chemicals

**WEL** - Workplace Exposure Limit

**ACGIH** - American Conference of Governmental Industrial Hygienists

**DNEL** - Derived No Effect Level

**RPE** - Respiratory Protective Equipment

**LC50** - Lethal Concentration 50%

**NOEC** - No Observed Effect Concentration

**PBT** - Persistent, Bioaccumulative, Toxic

**TWA** - Time Weighted Average

**IARC** - International Agency for Research on Cancer Predicted No Effect Concentration (PNEC)

**LD50** - Lethal Dose 50%

**EC50** - Effective Concentration 50%

**POW** - Partition coefficient Octanol:Water

**vPvB** - very Persistent, very Bioaccumulative

**ADR** - European Agreement Concerning the International Carriage of Dangerous Goods by Road

**IMO/IMDG** - International Maritime Organization/International Maritime Dangerous Goods Code

**OECD** - Organisation for Economic Co-operation and Development

**BCF** - Bioconcentration factor

**ICAO/IATA** - International Civil Aviation Organization/International Air Transport Association

**MARPOL** - International Convention for the Prevention of Pollution from Ships

**ATE** - Acute Toxicity Estimate

**VOC** - (Volatile Organic Compound)

## **Key literature references and sources for data**

<https://echa.europa.eu/information-on-chemicals>

Suppliers safety data sheet, Chemadvisor - LOLI, Merck index, RTECS

## **Training Advice**

Chemical hazard awareness training, incorporating labelling, Safety Data Sheets (SDS), Personal Protective Equipment (PPE) and hygiene.

First aid for chemical exposure, including the use of eye wash and safety showers.

Use of personal protective equipment, covering appropriate selection, compatibility, breakthrough thresholds, care, maintenance, fit and standards.

Fire prevention and fighting, identifying hazards and risks, static electricity, explosive atmospheres posed by vapours and dusts.

**Creation Date** 26-Oct-2009

**Revision Date** 13-Mar-2026

**Revision Summary** SDS sections updated, 2, 3, 15.

**This safety data sheet complies with Regulation UK SI 2019/758 and UK SI 2020/1577 as amended.**

## **Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

**End of Safety Data Sheet**