

## SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

### 1.1. Product identifier

Product Description:	<b>4-Chlorophenyl isocyanate</b>
Cat No. :	<b>A14966</b>
Synonyms	p-Chlorophenyl isocyanate; 1-Chloro-4-isocyanatobenzene; 4-Chloroisocyanatobenzene
Index No	615-044-00-1
CAS No	104-12-1
Molecular Formula	C7 H4 Cl N O
REACH registration number	-

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended Use	Laboratory chemicals.
Uses advised against	No Information available

### 1.3. Details of the supplier of the safety data sheet

Company	Avocado Research Chemicals Ltd. (Part of Thermo Fisher Scientific) Shore Road, Heysham Lancashire, LA3 2XY, United Kingdom Office Tel: +44 (0) 1524 850506 Office Fax: +44 (0) 1524 850608
---------	--

E-mail address	begel.sdsdesk@thermofisher.com
----------------	--------------------------------

### 1.4. Emergency telephone number

For information **US** call: 001-800-227-6701 / **Europe** call: +32 14 57 52 11  
Emergency Number **US**:001-201-796-7100 / **Europe**: +32 14 57 52 99  
**CHEMTREC** Tel. No. **US**:001-800-424-9300 / **Europe**:001-703-527-3887

## SECTION 2: HAZARDS IDENTIFICATION

### 2.1. Classification of the substance or mixture

#### CLP Classification - According to GB-CLP Regulations UK SI 2019/720 and UK SI 2020/1567

#### Physical hazards

Based on available data, the classification criteria are not met

#### Health hazards

# SAFETY DATA SHEET

4-Chlorophenyl isocyanate

Revision Date 23-Jan-2024

Acute oral toxicity  
Acute Inhalation Toxicity - Dusts and Mists  
Skin Corrosion/Irritation  
Serious Eye Damage/Eye Irritation  
Respiratory Sensitization  
Specific target organ toxicity - (single exposure)

Category 3 (H301)  
Category 2 (H330)  
Category 2 (H315)  
Category 1 (H318)  
Category 1 (H334)  
Category 3 (H335)

## **Environmental hazards**

Acute aquatic toxicity  
Chronic aquatic toxicity

Category 1 (H400)  
Category 1 (H410)

Full text of Hazard Statements: see section 16

## **2.2. Label elements**



Signal Word

Danger

## **Hazard Statements**

H315 - Causes skin irritation  
H410 - Very toxic to aquatic life with long lasting effects  
H335 - May cause respiratory irritation  
H318 - Causes serious eye damage  
H334 - May cause allergy or asthma symptoms or breathing difficulties if inhaled  
H330 - Fatal if inhaled  
H301 - Toxic if swallowed

## **Precautionary Statements**

P280 - Wear eye protection/ face protection  
P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing  
P261 - Avoid breathing dust/fume/gas/mist/vapors/spray  
P342 + P311 - If experiencing respiratory symptoms: Call a POISON CENTER or doctor/physician  
P304 + P340 - IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing  
P273 - Avoid release to the environment  
P302 + P352 - IF ON SKIN: Wash with plenty of soap and water

## **2.3. Other hazards**

Lachrymator (substance which increases the flow of tears)  
Toxic to terrestrial vertebrates  
This product does not contain any known or suspected endocrine disruptors

## **SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS**

### **3.1. Substances**

Component	CAS No	EC No	Weight %	CLP Classification - According to GB-CLP Regulations UK SI 2019/720 and UK SI 2020/1567
-----------	--------	-------	----------	---

# SAFETY DATA SHEET

4-Chlorophenyl isocyanate

Revision Date 23-Jan-2024

Benzene, 1-chloro-4-isocyanato-	104-12-1	EEC No. 203-176-9	98	Acute Tox. 3 (H301) Acute Tox. 2 (H330) Skin Irrit. 2 (H315) Eye Dam. 1 (H318) Resp. Sens. 1 (H334) STOT SE 3 (H335) Aquatic Acute 1 (H400) Aquatic Chronic 1 (H410)
---------------------------------	----------	-------------------	----	---

Component	Specific concentration limits (SCL's)	M-Factor	Component notes
Benzene, 1-chloro-4-isocyanato-	-	10 (acute) 1 (Chronic)	-

REACH registration number	-
---------------------------	---

Full text of Hazard Statements: see section 16

## SECTION 4: FIRST AID MEASURES

### 4.1. Description of first aid measures

<b>Eye Contact</b>	Immediate medical attention is required. Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.
<b>Skin Contact</b>	Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. Immediate medical attention is required.
<b>Ingestion</b>	Never give anything by mouth to an unconscious person. Drink plenty of water. Induce vomiting, but only if victim is fully conscious. Call a physician immediately. Clean mouth with water.
<b>Inhalation</b>	Remove from exposure, lie down. Remove to fresh air. If not breathing, give artificial respiration. Immediate medical attention is required.
<b>Self-Protection of the First Aider</b>	Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination.

### 4.2. Most important symptoms and effects, both acute and delayed

Causes eye burns. May cause allergy or asthma symptoms or breathing difficulties if inhaled. Causes severe eye damage. Symptoms of allergic reaction may include rash, itching, swelling, trouble breathing, tingling of the hands and feet, dizziness, lightheadedness, chest pain, muscle pain or flushing

### 4.3. Indication of any immediate medical attention and special treatment needed

Notes to Physician	Treat symptomatically.
--------------------	------------------------

## SECTION 5: FIREFIGHTING MEASURES

### 5.1. Extinguishing media

#### Suitable Extinguishing Media

Carbon dioxide (CO<sub>2</sub>). Powder. Water mist may be used to cool closed containers.

#### Extinguishing media which must not be used for safety reasons

No information available.

### 5.2. Special hazards arising from the substance or mixture

# SAFETY DATA SHEET

4-Chlorophenyl isocyanate

Revision Date 23-Jan-2024

Flammable. Combustible material. Combustible material. Containers may explode when heated. Do not allow run-off from fire-fighting to enter drains or water courses.

## **Hazardous Combustion Products**

Nitrogen oxides (NO<sub>x</sub>), Carbon monoxide (CO), Carbon dioxide (CO<sub>2</sub>), Hydrogen cyanide (hydrocyanic acid), nitric acid, Hydrogen chloride gas.

## **5.3. Advice for firefighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

## **SECTION 6: ACCIDENTAL RELEASE MEASURES**

### **6.1. Personal precautions, protective equipment and emergency procedures**

Remove all sources of ignition. Take precautionary measures against static discharges.

### **6.2. Environmental precautions**

Do not flush into surface water or sanitary sewer system. Do not allow material to contaminate ground water system. Prevent product from entering drains. Local authorities should be advised if significant spillages cannot be contained.

### **6.3. Methods and material for containment and cleaning up**

Avoid dust formation. Prevent product from entering drains. Remove all sources of ignition. Use spark-proof tools and explosion-proof equipment. Sweep up and shovel into suitable containers for disposal. Do not flush into surface water or sanitary sewer system.

### **6.4. Reference to other sections**

Refer to protective measures listed in Sections 8 and 13.

## **SECTION 7: HANDLING AND STORAGE**

### **7.1. Precautions for safe handling**

Do not breathe dust. Do not get in eyes, on skin, or on clothing. Handle product only in closed system or provide appropriate exhaust ventilation. Use spark-proof tools and explosion-proof equipment. Use only non-sparking tools. Keep away from open flames, hot surfaces and sources of ignition.

## **Hygiene Measures**

Handle in accordance with good industrial hygiene and safety practice. Keep away from food, drink and animal feeding stuffs. Do not eat, drink or smoke when using this product. Remove and wash contaminated clothing and gloves, including the inside, before re-use. Wash hands before breaks and after work.

### **7.2. Conditions for safe storage, including any incompatibilities**

Keep in a dry, cool and well-ventilated place. Keep container tightly closed. Keep away from heat, sparks and flame. Keep containers tightly closed in a dry, cool and well-ventilated place.

**Technical Rules for Hazardous Substances (TRGS) 510**      Class 6.1A  
**Storage Class (LGK) (Germany)**

### **7.3. Specific end use(s)**

Use in laboratories

# SAFETY DATA SHEET

4-Chlorophenyl isocyanate

Revision Date 23-Jan-2024

## SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

### 8.1. Control parameters

#### Exposure limits

List source(s): **UK** - EH40/2005 Work Exposure Limits, Fourth edition. Published 2020.

Component	The United Kingdom	European Union	Ireland
Benzene, 1-chloro-4-isocyanato-	STEL: 0.07 mg/m <sup>3</sup> 15 min TWA: 0.02 mg/m <sup>3</sup> 8 hr Resp. Sens.		

#### Biological limit values

This product, as supplied, does not contain any hazardous materials with biological limits established by the region specific regulatory bodies

#### Derived No Effect Level (DNEL) / Derived Minimum Effect Level (DMEL)

No information available

#### Predicted No Effect Concentration (PNEC)

No information available.

### 8.2. Exposure controls

#### Engineering Measures

Ensure adequate ventilation, especially in confined areas. Ensure that eyewash stations and safety showers are close to the workstation location.

Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control hazardous materials at source

#### Personal protective equipment

##### Eye Protection

Goggles (European standard - EN 166)

##### Hand Protection

Protective gloves

Glove material	Breakthrough time	Glove thickness	EU standard	Glove comments
Nitrile rubber	See manufacturers	-	EN 374	(minimum requirement)
Neoprene	recommendations			
Natural rubber				
PVC				

##### Skin and body protection

Wear appropriate protective gloves and clothing to prevent skin exposure.

Inspect gloves before use.

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information)

Ensure gloves are suitable for the task: Chemical compatibility, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion.

Remove gloves with care avoiding skin contamination.

##### Respiratory Protection

When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.

To protect the wearer, respiratory protective equipment must be the correct fit and be used and maintained properly

# SAFETY DATA SHEET

4-Chlorophenyl isocyanate

Revision Date 23-Jan-2024

<b>Large scale/emergency use</b>	Use a NIOSH/MSHA or European Standard EN 136 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced <b>Recommended Filter type:</b> Particulates filter conforming to EN 143
<b>Small scale/Laboratory use</b>	Use a NIOSH/MSHA or European Standard EN 149:2001 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced. <b>Recommended half mask:-</b> Particle filtering: EN149:2001 When RPE is used a face piece Fit Test should be conducted
<b>Environmental exposure controls</b>	Prevent product from entering drains. Do not allow material to contaminate ground water system. Local authorities should be advised if significant spillages cannot be contained.

## SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

### 9.1. Information on basic physical and chemical properties

<b>Physical State</b>	Solid	
<b>Appearance</b>	Light yellow	
<b>Odor</b>	pungent	
<b>Odor Threshold</b>	No data available	
<b>Melting Point/Range</b>	29 - 31 °C / 84.2 - 87.8 °F	
<b>Softening Point</b>	No data available	
<b>Boiling Point/Range</b>	203 - 204 °C / 397.4 - 399.2 °F	@ 760 mmHg
<b>Flammability (liquid)</b>	Not applicable	Solid
<b>Flammability (solid,gas)</b>	No information available	
<b>Explosion Limits</b>	<b>Lower</b> 2.3 <b>Upper</b> 6.8	
<b>Flash Point</b>	60 °C / 140 °F	<b>Method -</b> No information available
<b>Autoignition Temperature</b>	450 °C / 842 °F	
<b>Decomposition Temperature</b>	No data available	
<b>pH</b>	Not applicable	
<b>Viscosity</b>	Not applicable	Solid
<b>Water Solubility</b>	DECOMPOSES IN WATER	
<b>Solubility in other solvents</b>	No information available	
<b>Partition Coefficient (n-octanol/water)</b>		
<b>Component</b>	<b>log Pow</b>	
Benzene, 1-chloro-4-isocyanato-	3.12	
<b>Vapor Pressure</b>	1.33 hPa @ 35 °C	
<b>Density / Specific Gravity</b>	1.260	
<b>Bulk Density</b>	No data available	
<b>Vapor Density</b>	Not applicable	Solid
<b>Particle characteristics</b>	No data available	

### 9.2. Other information

<b>Molecular Formula</b>	C7 H4 Cl N O
<b>Molecular Weight</b>	153.57
<b>Explosive Properties</b>	explosive air/vapour mixtures possible
<b>Evaporation Rate</b>	Not applicable - Solid

## SECTION 10: STABILITY AND REACTIVITY

<b>10.1. Reactivity</b>	None known, based on information available
-------------------------	--

<b>10.2. Chemical stability</b>	Stable under normal conditions. Moisture sensitive.
---------------------------------	---

### 10.3. Possibility of hazardous reactions

# SAFETY DATA SHEET

4-Chlorophenyl isocyanate

Revision Date 23-Jan-2024

## Hazardous Polymerization Hazardous Reactions

No information available.  
No information available.

## 10.4. Conditions to avoid

Keep away from open flames, hot surfaces and sources of ignition. Excess heat.  
Incompatible products. Exposure to moist air or water.

## 10.5. Incompatible materials

Acids. Strong oxidizing agents. Strong bases. Alcohols. Amines.

## 10.6. Hazardous decomposition products

Nitrogen oxides (NOx). Carbon monoxide (CO). Carbon dioxide (CO<sub>2</sub>). Hydrogen cyanide (hydrocyanic acid). nitric acid. Hydrogen chloride gas.

## SECTION 11: TOXICOLOGICAL INFORMATION

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### Product Information

#### (a) acute toxicity;

Oral

Category 3

Dermal

No data available

Inhalation

Category 2

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation
Benzene, 1-chloro-4-isocyanato-	LD50 = 138 mg/kg ( Rat )	LD50 > 5010 mg/kg ( Rabbit )	LC50 113 - 272 mg/m <sup>3</sup> ( Rat ) 4 h

#### (b) skin corrosion/irritation;

Category 2

#### (c) serious eye damage/irritation;

Category 1

#### (d) respiratory or skin sensitization;

Respiratory

Category 1

Skin

No data available

No information available

#### (e) germ cell mutagenicity;

No data available

#### (f) carcinogenicity;

No data available

The table below indicates whether each agency has listed any ingredient as a carcinogen

#### (g) reproductive toxicity;

No data available

#### (h) STOT-single exposure;

Category 3

Results / Target organs

Respiratory system.

#### (i) STOT-repeated exposure;

No data available

Target Organs

No information available.

#### (j) aspiration hazard;

Not applicable

# SAFETY DATA SHEET

4-Chlorophenyl isocyanate

Revision Date 23-Jan-2024

Solid

**Symptoms / effects, both acute and delayed** Symptoms of allergic reaction may include rash, itching, swelling, trouble breathing, tingling of the hands and feet, dizziness, lightheadedness, chest pain, muscle pain or flushing.

## 11.2. Information on other hazards

**Endocrine Disrupting Properties** Assess endocrine disrupting properties for human health. This product does not contain any known or suspected endocrine disruptors.

## SECTION 12: ECOLOGICAL INFORMATION

### 12.1. Toxicity

#### Ecotoxicity effects

Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment. The product contains following substances which are hazardous for the environment.

Component	Microtox	M-Factor
Benzene, 1-chloro-4-isocyanato-	EC50 = 2.32 mg/L 30 min EC50 = 2.49 mg/L 15 min EC50 = 2.67 mg/L 5 min	10 (acute) 1 (Chronic)

### 12.2. Persistence and degradability

#### Persistence

#### Degradation in sewage

#### treatment plant

Not readily biodegradable  
Soluble in water, Persistence is unlikely, based on information available.  
Contains substances known to be hazardous to the environment or not degradable in waste water treatment plants.

### 12.3. Bioaccumulative potential

Bioaccumulation is unlikely

Component	log Pow	Bioconcentration factor (BCF)
Benzene, 1-chloro-4-isocyanato-	3.12	No data available

### 12.4. Mobility in soil

The product is water soluble, and may spread in water systems Will likely be mobile in the environment due to its water solubility. Highly mobile in soils

### 12.5. Results of PBT and vPvB assessment

No data available for assessment.

### 12.6. Endocrine disrupting properties

#### Endocrine Disruptor Information

This product does not contain any known or suspected endocrine disruptors

### 12.7. Other adverse effects

#### Persistent Organic Pollutant

#### Ozone Depletion Potential

This product does not contain any known or suspected substance  
This product does not contain any known or suspected substance

## SECTION 13: DISPOSAL CONSIDERATIONS

### 13.1. Waste treatment methods

#### Waste from Residues/Unused Products

Should not be released into the environment. Waste is classified as hazardous. Dispose of in accordance with the European Directives on waste and hazardous waste. Dispose of in accordance with local regulations.

#### Contaminated Packaging

Dispose of this container to hazardous or special waste collection point.



# SAFETY DATA SHEET

4-Chlorophenyl isocyanate

Revision Date 23-Jan-2024

**European Waste Catalogue (EWC)** According to the European Waste Catalog, Waste Codes are not product specific, but application specific.

**Other Information** Do not flush to sewer. Waste codes should be assigned by the user based on the application for which the product was used. Do not empty into drains. Do not let this chemical enter the environment.

## SECTION 14: TRANSPORT INFORMATION

### IMDG/IMO

**14.1. UN number** UN2811  
**14.2. UN proper shipping name** Toxic solid, organic, n.o.s.  
**14.3. Transport hazard class(es)** 6.1  
**14.4. Packing group** II

### ADR

**14.1. UN number** UN2811  
**14.2. UN proper shipping name** Toxic solid, organic, n.o.s.  
**14.3. Transport hazard class(es)** 6.1  
**14.4. Packing group** II

### IATA

**14.1. UN number** UN2811  
**14.2. UN proper shipping name** TOXIC SOLID, ORGANIC, N.O.S.\*  
**14.3. Transport hazard class(es)** 6.1  
**14.4. Packing group** II

**14.5. Environmental hazards** Dangerous for the environment  
Product is a marine pollutant according to the criteria set by IMDG/IMO

**14.6. Special precautions for user** No special precautions required.

**14.7. Maritime transport in bulk according to IMO instruments** Not applicable, packaged goods

## SECTION 15: REGULATORY INFORMATION

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### International Inventories

Europe (EINECS/ELINCS/NLP), China (IECSC), Taiwan (TCSI), Korea (KECL), Japan (ENCS), Japan (ISHL), Canada (DSL/NDSL), Australia (AICS), New Zealand (NZIoC), Philippines (PICCS). US EPA (TSCA) - Toxic Substances Control Act, (40 CFR Part 710)

Component	CAS No	EINECS	ELINCS	NLP	IECSC	TCSI	KECL	ENCS	ISHL
Benzene, 1-chloro-4-isocyanato-	104-12-1	203-176-9	-	-	X	X	KE-05718	-	X

Component	CAS No	TSCA	TSCA Inventory notification - Active-Inactive	DSL	NDSL	AICS	NZIoC	PICCS
Benzene, 1-chloro-4-isocyanato-	104-12-1	X	ACTIVE	-	X	-	X	X

**Legend:** X - Listed '-' - Not Listed

**KECL** - NIER number or KE number (<http://ncis.nier.go.kr/en/main.do>)

# SAFETY DATA SHEET

4-Chlorophenyl isocyanate

Revision Date 23-Jan-2024

## Authorisation/Restrictions according to EU REACH

Component	CAS No	REACH (1907/2006) - Annex XIV - Substances Subject to Authorization	REACH (1907/2006) - Annex XVII - Restrictions on Certain Dangerous Substances	REACH Regulation (EC 1907/2006) article 59 - Candidate List of Substances of Very High Concern (SVHC)
Benzene, 1-chloro-4-isocyanato-	104-12-1	-	Use restricted. See item 75. (see link for restriction details)	-

### REACH links

<https://echa.europa.eu/substances-restricted-under-reach>

## Seveso III Directive (2012/18/EC)

Component	CAS No	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Major Accident Notification	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Safety Report Requirements
Benzene, 1-chloro-4-isocyanato-	104-12-1	Not applicable	Not applicable

## Regulation (EC) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of dangerous chemicals

Not applicable

## Contains component(s) that meet a 'definition' of per & poly fluoroalkyl substance (PFAS)?

Not applicable

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work .

## National Regulations

**UK** - Take note of Control of Substances Hazardous to Health Regulations (COSHH) 2002 and 2005 Amendment

## WGK Classification

See table for values

Component	Germany - Water Classification (AwSV)	Germany - TA-Luft Class
Benzene, 1-chloro-4-isocyanato-	WGK3	

## 15.2. Chemical safety assessment

A Chemical Safety Assessment/Report (CSA/CSR) has not been conducted

## SECTION 16: OTHER INFORMATION

### Full text of H-Statements referred to under sections 2 and 3

H301 - Toxic if swallowed

H315 - Causes skin irritation

H318 - Causes serious eye damage

H330 - Fatal if inhaled

H334 - May cause allergy or asthma symptoms or breathing difficulties if inhaled

# SAFETY DATA SHEET

4-Chlorophenyl isocyanate

Revision Date 23-Jan-2024

H335 - May cause respiratory irritation  
H400 - Very toxic to aquatic life  
H410 - Very toxic to aquatic life with long lasting effects

## Legend

**CAS** - Chemical Abstracts Service

**EINECS/ELINCS** - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

**PICCS** - Philippines Inventory of Chemicals and Chemical Substances

**IECSC** - Chinese Inventory of Existing Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

**TSCA** - United States Toxic Substances Control Act Section 8(b) Inventory

**DSL/NDSL** - Canadian Domestic Substances List/Non-Domestic Substances List

**ENCS** - Japanese Existing and New Chemical Substances

**AICS** - Australian Inventory of Chemical Substances

**NZIoC** - New Zealand Inventory of Chemicals

**WEL** - Workplace Exposure Limit

**ACGIH** - American Conference of Governmental Industrial Hygienists

**DNEL** - Derived No Effect Level

**RPE** - Respiratory Protective Equipment

**LC50** - Lethal Concentration 50%

**NOEC** - No Observed Effect Concentration

**PBT** - Persistent, Bioaccumulative, Toxic

**TWA** - Time Weighted Average

**IARC** - International Agency for Research on Cancer  
Predicted No Effect Concentration (PNEC)

**LD50** - Lethal Dose 50%

**EC50** - Effective Concentration 50%

**POW** - Partition coefficient Octanol:Water

**vPvB** - very Persistent, very Bioaccumulative

**ADR** - European Agreement Concerning the International Carriage of Dangerous Goods by Road

**IMO/IMDG** - International Maritime Organization/International Maritime Dangerous Goods Code

**OECD** - Organisation for Economic Co-operation and Development

**BCF** - Bioconcentration factor

**Key literature references and sources for data**

<https://echa.europa.eu/information-on-chemicals>

Suppliers safety data sheet, Chemadvisor - LOLI, Merck index, RTECS

**ICAO/IATA** - International Civil Aviation Organization/International Air Transport Association

**MARPOL** - International Convention for the Prevention of Pollution from Ships

**ATE** - Acute Toxicity Estimate

**VOC** - (Volatile Organic Compound)

## **Training Advice**

Chemical hazard awareness training, incorporating labelling, Safety Data Sheets (SDS), Personal Protective Equipment (PPE) and hygiene.

Use of personal protective equipment, covering appropriate selection, compatibility, breakthrough thresholds, care, maintenance, fit and standards.

First aid for chemical exposure, including the use of eye wash and safety showers.

Chemical incident response training.

**Prepared By**

Health, Safety and Environmental Department

**Revision Date**

23-Jan-2024

**Revision Summary**

New emergency telephone response service provider.

**This safety data sheet complies with Regulation UK SI 2019/758 and UK SI 2020/1577 as amended.**

## **Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

**End of Safety Data Sheet**